

**Table 1:** Descriptive values of total scores in Short form 36 (SF-36) and Trier Illness Coping Scale (TCS).

<b>SF-36 scale – Parameter</b>	<b>M ± SD</b>	<b>Min-max</b>	<b>M ± SD(%)</b>
<b>Physical functioning</b>	22.8 ± 6.0	10-30	64.1 ± 30.0
<b>Physical role functioning</b>	6.4 ± 1.9	4-8	59.1 ± 46.4
<b>Bodily pain</b>	8.7 ± 2.8	2-11	74.8 ± 31.6
<b>General health perception</b>	16.6 ± 2.6	8-25	58.2 ± 13.2
<b>Vitality</b>	16.0 ± 3.8	8-24	60.2 ± 19.1
<b>Social functioning</b>	8.3 ± 2.0	2-10	78.2 ± 25.2
<b>Emotional role functioning</b>	5.1 ± 1.3	3-6	72.5 ± 42.8
<b>Mental health</b>	22.9 ± 4.7	12-30	71.5 ± 19.0
<b>Total, physical health</b>	54.9 ± 10.2	31-74	
<b>Total, mental health</b>	52.8 ± 10.0	31-70	

<b>TCS scale - Parameter</b>	<b>M ± SD</b>	<b>Min-max</b>
<b>Rumination</b>	3.3 ± 0.9	1.4-5.3
<b>Search for social integration</b>	3.8 ± 0.8	1.9-5.6
<b>Threat control</b>	4.8 ± 0.6	3.4-6.0
<b>Search for information and sharing of experience</b>	3.2 ± 1.0	1.0-5.6

M ± SD: mean ± standard deviation of raw point score, Min - max: lowest and highest raw point score in the subscale in the patient sample, M ± SD (%): mean and standard deviation of the percentage of raw point scores compared to the maximum attainable point score.